

Sevil Sahin

Supervisor(s)	Prof. Dr. Han Zuilhof, Dr. Louis de Smet
Project	Synthetic studies towards polymeric membranes bearing ion-selective receptors for electro-driven separation of ions
Fields of interest	Ion selectivity, electro-driven separation, surface chemistry, organic synthesis, polymers
E-mail	sevil.sahin@wur.nl
Telephone	+31 (0) 686058248

Introduction

Electro-driven desalination processes, which currently largely focus on purifying water, have also the potential to obtain salts at high purity. For instance, lithium, which is increasingly used to fabricate Li-ion batteries, is largely drawn from salt-lake brines, but the presence of interfering ions like Na^+ and K^+ reduces the purity. Also, phosphate, which is a high-value, non-renewable natural resource, is currently mainly recovered from waste streams using precipitation methods that require chemicals and lack selectivity. High purities could be obtained when combining electro-driven separation with ion-selective properties.

In this research program we make use of capacitive deionization (CDI), a technique that makes use of porous electrodes, which can be loaded with ions using an electrical field (Figure 1, left). Currently, CDI can only discriminate between the type of charge (anion versus cation), but the addition of ion-selective membranes would enable one to recover/harvest specific ions from (waste) water.




Figure 1. (left) Schematic representation of capacitive deionization with anion and cation-exchange membranes (AEM and CEM, respectively) and (right) the structure of an Na^+ -selective molecule that will be used to functionalize the porous electrodes.

We explore the use of electro-driven separations to achieve targeted (ion-selective) removal. Our current focus is on the preparation of ultrathin coatings of alternating layers of oppositely charged polymers (polyelectrolytes). The integration of ion-selective materials, like the one shown in Figure 1, may further tune the selectivity.